



E-ISSN: 2663-1067
P-ISSN: 2663-1075
<https://www.hortijournal.com>
IJHFS 2023; 5(1): 20-24
Received: 13-10-2022
Accepted: 21-12-2022

Saurabh Sanjay Bankar
Department of Agriculture
Engineering, G. S. Mandal's
Maharashtra Institute of
Technology, Dr. Babasaheb
Ambedkar Marathwada
University, Aurangabad,
Maharashtra, India

Dipak A Jadhav
Department of Agriculture
Engineering, G. S. Mandal's
Maharashtra Institute of
Technology, Dr. Babasaheb
Ambedkar Marathwada
University, Aurangabad,
Maharashtra, India

Priyadarshani R Mohite
Department of Agriculture
Engineering, G. S. Mandal's
Maharashtra Institute of
Technology, Dr. Babasaheb
Ambedkar Marathwada
University, Aurangabad,
Maharashtra, India

Corresponding Author:
Saurabh Sanjay Bankar
Department of Agriculture
Engineering, G. S. Mandal's
Maharashtra Institute of
Technology, Dr. Babasaheb
Ambedkar Marathwada
University, Aurangabad,
Maharashtra, India

Development of nutrition rich food product using alfalfa sprouts powder

Saurabh Sanjay Bankar, Dipak A Jadhav and Priyadarshani R Mohite

DOI: <https://doi.org/10.33545/26631067.2023.v5.i1a.150>

Abstract

Alfalfa (*Lucerne* and *Medicago sativa*) is the herb and corresponding legume seeds are of family *Fabaceae*. It is cultivated as an important forage crop in many countries around the world. Alfalfa is used as a food material since a long period due to variety of its nutritional benefits and properties which include high protein content, vitamins and minerals. The sprouts of alfalfa are also gaining much popularity these days because of their nutritional properties and high antioxidant content. The major drawback related to this sprout usage is the small shelf life of the sprouts. Limited studies have been reported earlier to increase the shelf life of the sprouts for making it available for a wide group of population for a longer period of time. Present review focuses on obtaining the sprouts in consumable form for a longer period of time and increasing its shelf life to make the nutritional benefits available to wider group of population.

Keywords: Alfalfa, drying methods, product formulation, shelf life

Introduction

Alfalfa (*Lucerne* and *Medicago sativa*) originated in South-Central Asia, and it was first cultivated in ancient Iran and Australia. There are four kinds of alfalfa sprouts in Australia, which are easily available in different states of Australia, and their democratic levels are also different (Table 1) (Apostol *et al.*, 2017) [2]. Alfalfa is the most widely planted forage legume in the world. It is considered an excellent legume forage crop all around the world (Undersander *et al.*, 1997) [1]. Global production of alfalfa was approximately 436 million tons in year 2006. In 2009, alfalfa grew in about 30 Million hectares worldwide; North America contributed for 41% of total production (11.9 million hectares). Alfalfa protein has powerful functional properties and many applications in the pharmaceutical field: for example, its antioxidant properties can be beneficial in treating diabetes. According to reports, the protein content of bean sprouts is 150% higher than that of soybeans, cereals, such as wheat, oats and corn.

Alfalfa sprouts reported to contain more vitamin C and riboflavin and good sources of minerals such as calcium and iron (Elwood *et al.*, 1971) [15].

Glucose sugar is the main chemical energy product of photosynthesis. Glucose combines with other nutrients and provides all required components for alfalfa growth. Alfalfa seed needs nitrogen and phosphorus, potassium, sulfur, calcium, magnesium, iron, boron, manganese, zinc, copper, molybdenum and some others micro-nutrients to promote the growth. These nutrients are absorbed together with water via roots from the soil. Little more trace minerals may be absorbed through leaves, if the foliar surface is smeared (Undersander *et al.*, 1997) [1]. Usually the seeds of alfalfa start germinating after complete absorption of around 125 percent by weight of water. The swelling of seed causes seed coat to break and alfalfa germinates between optimum temperature ranges between 18 to 25 °C. The rate of germination is found to increase with increase in the soil temperature, as the metabolic rate of activities in seed increases. The plantlet growth phase is also known as establishment phase which includes the time period between the emergence of seedling and first harvest. The first true leaf has just single leaflet, while the second leaf contains trifoliate leaf. Second stage is followed by five leaf stage and a leaf is considered to be fully expanded when the outer edges of all leaflets are no longer touching.

The re-growth after cutting is seen in case of alfalfa primarily via crown buds and axillary buds. The forage quality of alfalfa starts going down soon after harvesting. The goal for many is to reduce the spoilage rate and loss of the crop. For this purpose, many methods have

been used including curing, conditioning and application of various drying agents to the harvested crop. Although various methods have been applied and many of them are still being discovered, no proper method has been found which can lead to minimum post-harvest loss.

Table 1: Varieties of Alfalfa native to Australia

| Sr. no. | Varieties of alfalfa | Region | Dormancy rating |
|---------|----------------------|---------------------|-----------------|
| 1 | Sardi-Grazer Lucerne | All state Australia | 6 |
| 2 | Sardi-7 Lucerne | All state Australia | 7 |
| 3 | Genesis Lucerne | All state Australia | 7 |
| 4 | Sardi-10 Lucerne | All state Australia | 10 |

Seeds

In the absence of light conditions, alfalfa seeds germinated for 72 and 120 h (Hamilton *et al.*, 2016) [16]. Seedling growth is the period of development from the completion of germination to the development of young plants that can germinate. Make enough food through photosynthesis to

sustain growth (Mayer, 1999) [22]. Alfalfa seeds are usually kidneys shape, small, yellowish brown to olive green. River seed includes two cotyledon (embryo), radicle, hypocotyl (the area the root of the radicle below the cotyledon), and epicotyl (embryo form stem) (James *et al.*, 2009) [20].




Fig. 1: Morphology of Alfalfa Seed (Hall *et al.*, 2011)

Sprouts

Alfalfa sprouts provides oral-based supplements to individuals or as a food additive. Especially alfalfa leaves have huge potential for human use due to their nutritional value and high protein yield per hectare (Wang *et al* 1976) [18]. Alfalfa can be used as an effective functional ingredient

for diet prevention and treatment of various metabolic diseases, especially metabolic syndrome (Bora and Sharma, 2011) [19]. Leaves of alfalfa, in particular, have significant potential for human use due to their nutritive value and their high yields of protein per hectare (Pirie, 1972) [26].




Fig 2: The parts of an alfalfa plant (Undersander *et al.*, 2011) [27]

Sprout Powder

Alfalfa helps to reduce certain risk factors for cardiovascular disease. Alfalfa sprouts powder is use in all type of food as food additives in a sufficient quantity to reduce the risk factors for cardiovascular disease (Hong *et*

al., 2009) [11]. The powder is very effective for your immune system. Those with cholesterol problems, hair loss and menopausal symptoms are especially interested. Alfalfa meal has many effects of lowering blood pressure and anti-inflammatory.



Fig 3: Alfalfa Dried Powder

Table 2: Proximate Nutritional Composition of Alfalfa Sprout Powder

| Sr. No. | Test Parameter | Sprout powder (100 gm) |
|---------|----------------|------------------------|
| 1 | Protein | 35.206% |
| 2 | Fiber | 8.5% |
| 3 | Carbohydrate | 36.094% |
| 4 | Energy value | 297.8% |
| 5 | Ash | 13.4% |
| 6 | Moisture | 5.4% |
| 7 | Fat | 1.4% |

Table 3. Nutritional Composition of Fresh Alfalfa Sprouts (Apostol *et al.*, 2017)^[2]

| Sr. No. | Nutrition | Sprouts |
|---------|--------------------------|-------------|
| 1. | Energy | 23 calories |
| 2. | Carbohydrates | 2.1 gram |
| 3. | Dietary fiber | 1.9 gram |
| 4. | Fat | 0.7 gram |
| 5. | Protein | 4 gram |
| 6. | Vitamins | |
| | Vit.B1(Thiamine) | 7% |
| | Vit.B2(Riboflavin) | 11% |
| | Vit.B3(Niacin) | 3% |
| | Vit.B5(pantothenic acid) | 11% |
| | Vit.B6 | 3% |
| | Vit. B9(Folic acid) | 9% |
| | Vit.C(Ascorbic acid) | 10% |
| | Vit K | 29% |
| 7. | Minerals | |
| | Calcium | 3% |
| | Iron | 7% |
| | Magnesium | 8% |
| | Manganese | 9% |
| | Phosphorus | 10% |
| | Potassium | 2% |
| | Zinc | 10% |
| | Sodium | 0% |
| | Water | 93 gram |

Health benefits

Help to increase breast milk production

Beans sprouts contain a substance found in certain plants which can produce oestrogen hormone when ingested into the body, spooning, and the amino acid L- canavanine those are believed to make more actives in breast milk production. In many other cultures, women who have babies usually consuming this kind of herbs to increase and promote the level of breast milk production. In alternative medicine

literature traditional scientific evidence is shared but some Alfalfa has been found in some milk Powder and mixture (Alachkar *et al.*, 2011)^[24]

Lower cholesterol and improve heart health

The first six weeks studies in Europe in the 1990s found that the average decrease in LDL (Low- Density Lipoprotein) cholesterol increase in good or HDL cholesterol was 11.2% after that in 2016 there was conducted another study on 15 people's which has shown similar results reducing bad cholesterol by 18% and after that on many animals studies have shown similar effect (Dixit *et al.*, 1990)^[5]. Because it contains a large number of saponins in plants may serve as antifeedants and protect this plant against microbes and fungi. Alfalfa sprouts can trigger this reaction from the body when they contain a large number of saponins. Saponins can get bind to cholesterol via bile. This does not allow cholesterol to be reabsorbed as in this case cholesterol is reduced and it is excreted (Vinarova *et al.*, 2015)^[6]

Helps rid of kidney stones

Diuretics are something that we can call a water pill because they may increase the level of excretion of water and salt. As Alfalfa is a good source of Diuretics. This also releases sodium in the urine. A diuretic is a condition in which the kidney filters too many bodily fluids, which increases your urine production and help to clear uric acid (kidney stones) this can be seen in some people in which can go through severe pain (Malinow *et al.*, 1981)^[7] again some studies lack human trial and promising in this area. Alfalfa is widely used for remaining kidney stone in the alternative literature (Kelly *et al.*, 1999)^[31].

Improves metabolic health and activity

Alfalfa has many metabolic benefits because studies conducted in Diabetes Miscellaneous have found that alfalfa has different mechanisms for stabilizing blood sugar levels. Alfalfa sprouts can improve metabolic health and lower blood sugar levels. This results in the release of the hormone insulin from the pancreas into the lower blood. Even in traditional and indigenous societies, this can lead to lower blood sugar levels. In American Indian and Indian cultures, alfalfa is widely used to control blood sugar levels. (Seida *et al.*, 2015)^[10].

Reduce chronic diseases by antioxidant activity

It is believed that alfalfa sprouts can reduce the number of free radicals in the body, so it provides long-term benefits in reducing redness, swelling, fever and frequent pain (inflammation) in body parts, mainly in response to injury or infection (Hong *et al.*, 2009 year)^[11]. Many chronic diseases have been found to be positively correlated with chronic long-term inflammation. Reducing inflammation can help prevent diseases such as Alzheimer's disease, Parson's disease, cancer, diabetes, and heart disease (Gray *et al.*, 1997)^[21]

Stabilize blood sugar

Alfalfa used to slow the intestinal absorption of glucose. Alfalfa is a good source of fiber-rich foods. This helps control blood sugar levels. Therefore, it may help control diabetes and prediabetes.

Risks and side effects of alfalfa sprouts

Although the U.S. Food and Drug Administration (FDA) recognize that alfalfa sprouts are safe for example (pregnancy, lupus, etc.) certain diseases are related to certain medical conditions, Humid and favourable conditions. For people with weakened immunity, it may cause slight irritation to the immune system (Dechet *et al.*, 2014) [12]. The best practice is to thoroughly rinse the sprouts at least 3 times the germination period.

Pregnant women should avoid alfalfa sprouts

Alfalfa sprouts contain a lot of phytoestrogens and may also increase estrogen. The content in the system, because it is good to strictly avoid the alfalfa sprouts of pregnant women. They also sometimes cause urine to shrink (Ernst *et al.*, 2002) [14].

If you are using thinner, please avoid using alfalfa

Because alfalfa sprouts are rich in vitamin K, they sometimes change certain metabolisms. Avoid using alfalfa for blood thinning drugs. If you are using thinners, especially if you have thicker blood thinners, you should avoid using it. It may cause blood clots due to vitamin K, which is the opposite of the effect of blood thinners (Mousa *et al.*, 2010) [13].

Can trigger lupus

Originally healthy bean sprouts contain a specific amino acid called L-canavanine, which can cause autoimmune diseases (Lupus). It may also cause inflammation in patients with lupus. Alfalfa sprout gas is an excellent antioxidant and is very beneficial to health. However, since you have any autoimmune disease or any disease similar to multiple sclerosis or lupus, it is best to treat it and strictly avoid alfalfa sprouts.

Table 4: Use of alfalfa sprout powder in food product development

| Raw material | Food product development | Major finding | Reference |
|------------------------|-----------------------------|-----------------|----------------------------------|
| Alfalfa powder | Water extraction juice | Water base | Lorga <i>et al.</i> , 2017 [28] |
| Alfalfa liquid extract | Pure Alfalfa liquid extract | Liquid extract | Amraie <i>et al.</i> , 2015 [29] |
| Alfalfa Sprout beans | Sprouted beans and seeds | Sprouts of seed | Lister <i>et al.</i> , 2006 [30] |




Fig 4: Complete process of powder production from grown alfalfa sprouts

Cultivations

Alfalfa seeds were purchased from the Indian market at a price of 250g/250 rupees. The alfalfa seeds are germinated by vertical tillage, and 60 alfalfa seeds are placed in the germination tray for germination. Use cocoa peat instead of soil. Alfalfa seeds begin to germinate after 24 hours. After 4

to 5 days, complete germination of alfalfa seeds was observed. Among the 60 seeds, only 40 seeds germinated. The mature alfalfa sprouts are collected manually, and the length and diameter of the sprouts are calculated with a scale and a vernier caliper. Clean the cocoa peat particles by washing the bean sprouts with tap water. Use OTG (oven grill) to dry alfalfa sprouts at 40-45 °C for 5-6 hours. Then use a grinder to grind the dried bean sprouts. Then store the powder in HDPE bags at room temperature.




Fig. 5: Complete process of cultivation and powder production from grown alfalfa sprouts

Future scope and perspectives

Future scope involves accomplishment of goals including the infusion of dried alfalfa powder in any ready to consume foods for all age groups with relatively higher stability and maximum nutritional benefits, to determine the cost effectiveness of alfalfa formulated food item in comparison to the same category available in market, to determine the nutritional benefits of formulated food item and to make the formulated item readily accessible to consumers.

Conclusion

Alfalfa is highly nutritious food legume having numerous health benefits and advantages for all age groups of population. The nutritional qualities include high antioxidant activity, high vitamin and mineral content, fibre and protein content. The major problem associated with availability of alfalfa is the relative instability of the sprouts and high spoilage rate. Various methods have been adapted to solve these problems which include traditional and modern drying methods but no method till date has been found to provide a satisfactory data for further use of this beneficial plant. The drying method discussed in the paper can turn out to be useful for increasing the availability of alfalfa sprouts at a higher rate to food market. Formulation of any quickly accessible product can make it easy for the population to accept the product at larger rate and this can impart number of health benefits to all age groups.

Acknowledgements

Author are thankful to the MIT -CARS (Center for Analytical Research and Studies) for providing instrumentation facilities and necessary support during work.

Conflict of interest

All the authors declared that there is no any financial conflict among the contributors.

References

- Undersander DJ, Vassalotti P, Dennis Cosgrove. Alfalfa germination & growth; Dan Undersander, Paul Vassalotti, Dennis Cosgrove. University of Wisconsin--Extension, Cooperative Extension; A3681; c1997.
- Apostol, Livia, SorinIorga, Mosoiu C, Racovita RC, Niculae OM, Vlasceanu G. Alfalfa concentrate: A rich source of nutrients for use in food products. Journal of International Scientific Publications. 2017;5:66-73.
- Seed, Producing Alfalfa, and Irrigating Alfalfa. Cultural practices; c2009.
- Uchegbu RI, Onyekwere BC, Amanze KO, Okah KN. Hydrogen peroxide scavenging capacity and phytochemical analysis of *Medicago sativa* (Alfalfa) leaves. International Journal of Advanced Chemistry Research. 2021;3(2):34-38. DOI: 10.33545/26646781.2021.v3.i2a.60
- Dixit VP, Jain P. Hypolipidaemic effects of medicago sativa seed extracts (50% EtOH) in rabbits under experimental conditions. Ancient science of life. 1990;10(1):52.
- Vinarova, Liliya, Vinarov Z, Atanasov V, Pantcheva I, Tcholakova S, *et al.* Lowering of cholesterol bioaccessibility and serum concentrations by saponins: *in vitro* and *in vivo* studies. Food & function. 2015;6(2):501-512.
- Malinow MR, Connor WE, McLaughlin P, Stafford C, Lin DS, Livingston AL, *et al.* Cholesterol and bile acid balance in Macacafascularis. Effects of alfalfa saponins. The Journal of clinical investigation. 1981;67(1):156-162.
- AL-Kaabi HJ. Preserving and canning food products by optimal methods, and protecting it from spoilage. Int. J. Agric. Nutr. 2022;4(2):4-6. DOI: 10.33545/26646064.2022.v4.i2a.55
- Bahmani, Mahmoud, Baharvand-Ahmadi B, Tajeddini P, Rafieian-Kopaei M, Naghdi N. Identification of medicinal plants for the treatment of kidney and urinary stones. Journal of Renal Injury Prevention. 2016;5(3):129.
- Seida, Ahmed, El-Hefnawy H, Abou-Hussein D, Mokhtar FA, Abdel-Naim A. Evaluation of *Medicago sativa* L. sprouts as antihyperlipidemic and antihyperglycemic agent. Pakistan Journal of Pharmaceutical Sciences. 2015;28:6
- Hong, Yong-Han, Wen-Wan C, Miaw-Ling Chen, Bi-Fong Lin. Ethyl acetate extracts of alfalfa (*Medicago sativa* L.) sprouts inhibit lipopolysaccharide-induced inflammation *in vitro* and *in vivo*. Journal of Biomedical Science. 2009;16(1):1-12.
- Dechet, Amy M, Karen Herman M, Parker CC, Taormina P, Johanson J, *et al.* Outbreaks caused by sprouts, United States, 1998-2010: lessons learned and solutions needed. Foodborne pathogens and disease. 2014;11(8):635-644.
- Mousa, Shaker A. Antithrombotic effects of naturally derived products on coagulation and platelet function. Anticoagulants, Antiplatelets, and Thrombolytics; c2010. p. 229-240.
- Ernst, E. Herbal medicinal products during pregnancy: are they safe?. BJOG: An International Journal of Obstetrics & Gynaecology. 2002;109(3):227-235.
- Elwood PC, Shinton NK, Wilson CID, Sweetnam P, Frazer AC. Haemoglobin, vitamin B12 and folate levels in the elderly. British Journal of Haematology 1971;21(5):557-563.
- Hamilton MJ, Vanderstoep J. Germination and nutrient composition of alfalfa seeds. Journal of food Science. 1979;44(2):443-445.
- Gaweł, Eliza, Grzelak M. Protein from lucerne in animals supplement diet. Journal of Food, Agriculture and Environment. 2014;12(2):314-319.
- Wang JC, Kinsella JE. Functional properties of novel proteins: Alfalfa leaf protein. Journal of food science. 1976;41(2):286-292.
- Bora, Singh K, Sharma A. Phytochemical and pharmacological potential of *Medicago sativa*: A review. Pharmaceutical biology 2011;49(2):211-220.
- James-Seed, Producing Alfalfa, and Irrigating Alfalfa. Cultural practices; c2009.
- Gray, Alison M, Peter Flatt R. Pancreatic and extra-pancreatic effects of the traditional anti-diabetic plant, *Medicago sativa* (lucerne). British Journal of Nutrition. 1997;78(2):325-334.
- Meyer, Dwain W. Alfalfa: Seed Germination, Seedling Growth, Vegetative Development; c1999.
- Hong, Yong-Han, Wen-Wan Chao, Miaw-Ling Chen, and Bi-Fong Lin. Ethyl acetate extracts of alfalfa (*Medicago sativa* L.) sprouts inhibit lipopolysaccharide-induced inflammation *in vitro* and *in vivo*. Journal of Biomedical Science 2009;16(1):1-12.
- Alachkar, Amal, Jaddouh A, Elsheikh MS, Bilia AR, Vincieri FF. Traditional medicine in Syria: folk medicine in Aleppo governorate. Natural Product Communications. 2011;6(1):1934578X1100600119.
- Mölggaard, Jörgen, Schenck HV, Anders G. Olsson. Alfalfa seeds lower low density lipoprotein cholesterol and apolipoprotein B concentrations in patients with type II hyperlipoproteinemia. Atherosclerosis. 1987;65(1-2):173-179.
- Pirie A. Fluorescence of N'-formylkynurenine and of protein exposed to sunlight. Biochemical Journal. 1972 Aug;128(5):1365.
- Oates LG, Undersander DJ, Gratton C, Bell MM, Jackson RD. Management-intensive rotational grazing enhances forage production and quality of subhumid cool-season pastures. Crop Science. 2011 Mar;51(2):892-901.
- Kumpala N, Naunboonruang P, Lorga T, Hanyuthapong S. Correlation between family support and well-being of postpartum teenagers. In ANPOR Annual Conference Proceedings; c2017, 5(1).
- Amraie E, Farsani MK, Sadeghi L, Khan TN, Babadi VY, Adavi Z. The effects of aqueous extract of alfalfa on blood glucose and lipids in alloxan-induced diabetic rats. Interventional Medicine and Applied Science. 2015 Sep;7(3):124-8.
- Lister R, Simon B, Thompson E, Whalley JL, Prasad C. Not seeing the forest for the trees: novice programmers and the SOLO taxonomy. ACM SIGCSE Bulletin. 2006 Jun 26;38(3):118-22.
- Kopec, Kelly. Herbal medications and breastfeeding. Journal of Human Lactation. 1999;15(2):157-161.