



E-ISSN: 2663-1067
P-ISSN: 2663-1075
<https://www.hortijournal.com>
IJHFS 2023; 5(2): 110-111
Received: 22-10-2023
Accepted: 29-11-2023

Rohan Patel
Department of Plant
Pathology, Dr. Y.S. Parmar
University of Horticulture and
Forestry, Solan, Himachal
Pradesh, India

Bhargavi Thakur
Department of Plant
Pathology, Dr. Y.S. Parmar
University of Horticulture and
Forestry, Solan, Himachal
Pradesh, India

Impact of mycorrhizal fungi on plant disease resistance

Rohan Patel and Bhargavi Thakur

DOI: <https://doi.org/10.33545/26631067.2023.v5.i2b.217>

Abstract

Mycorrhizal fungi play a crucial role in enhancing plant health and resistance to diseases. This review explores the mechanisms by which mycorrhizal associations enhance plant disease resistance, summarizes findings from various studies on the impact of mycorrhizal fungi on different plant-pathogen interactions, and discusses the practical applications and future research directions in this field. The review highlights the potential of mycorrhizal fungi as a sustainable and eco-friendly strategy for disease management in agriculture.

Keywords: Mycorrhizal fungi, plant disease resistance, plant-pathogen interactions, sustainable agriculture, biocontrol.

Introduction

The symbiotic relationship between plants and mycorrhizal fungi is one of the most widespread and ecologically significant mutualisms in the plant kingdom. Mycorrhizal fungi, particularly arbuscular mycorrhizal (AM) fungi and ectomycorrhizal (ECM) fungi, form associations with the roots of most terrestrial plants, facilitating nutrient and water uptake. In return, the fungi receive carbohydrates produced by the plants through photosynthesis. Beyond their role in enhancing nutrient acquisition, mycorrhizal fungi have been shown to play a pivotal role in improving plant health and resistance to various diseases. This review aims to provide a comprehensive overview of the impact of mycorrhizal fungi on plant disease resistance. It will discuss the mechanisms through which mycorrhizal associations confer disease resistance, summarize findings from relevant studies on different plant-pathogen interactions, and explore the practical applications and future research directions in this field.

Main Objective

The main objective of this paper is to review the impact of mycorrhizal fungi on plant disease resistance.

Mechanisms of Disease Resistance

Mycorrhizal fungi enhance plant disease resistance through a variety of mechanisms. One of the primary mechanisms is the improvement of plant nutrition, particularly phosphorus uptake, which strengthens the plant's overall health and ability to resist pathogens. Mycorrhizal associations also induce systemic resistance in plants, similar to the systemic acquired resistance (SAR) triggered by pathogen infection. This involves the activation of plant defense pathways and the production of defense-related compounds, such as phytoalexins, pathogenesis-related (PR) proteins, and reactive oxygen species (ROS). Another critical mechanism is the physical barrier formed by the mycorrhizal hyphae. The extensive hyphal network can act as a physical barrier to pathogen entry and colonization. Additionally, mycorrhizal fungi can compete with pathogens for space and resources in the rhizosphere, thereby reducing pathogen establishment and proliferation. Mycorrhizal fungi also influence the microbial community composition in the rhizosphere, promoting beneficial microorganisms that can suppress pathogens. This shift in the microbial community can enhance the plant's resistance to diseases through microbial antagonism,

Corresponding Author:
Rohan Patel
Department of Plant
Pathology, Dr. Y.S. Parmar
University of Horticulture and
Forestry, Solan, Himachal
Pradesh, India

competition, and production of antimicrobial compounds by beneficial microbes.

Studies on Plant-Pathogen Interactions

Numerous studies have investigated the impact of mycorrhizal fungi on various plant-pathogen interactions. For instance, Pozo *et al.* (2002) ^[1] demonstrated that AM fungi, such as *Glomus intraradices*, enhanced the resistance of tomato plants to the soilborne pathogen *Phytophthora parasitica*. The study found that mycorrhizal colonization led to the activation of defense-related genes and an increase in the production of defense-related compounds.

Similarly, research by Veresoglou and Rillig (2012) ^[2] showed that mycorrhizal associations significantly reduced the severity of root rot caused by *Fusarium oxysporum* in several crop species. The study highlighted the role of mycorrhizal fungi in improving plant nutrient status and inducing systemic resistance.

Another study by Liu *et al.* (2007) ^[3] found that ECM fungi, such as *Pisolithus tinctorius*, enhanced the resistance of pine seedlings to the root pathogen *Heterobasidion annosum*. The ECM fungi were shown to improve the nutritional status of the seedlings and induce the production of antimicrobial compounds.

In addition to soilborne pathogens, mycorrhizal fungi have also been shown to confer resistance against foliar pathogens. A study by Khaosaad *et al.* (2007) ^[4] demonstrated that AM fungi reduced the incidence of powdery mildew (*Erysiphe cichoracearum*) in cucumber plants. The mycorrhizal plants exhibited higher levels of defense-related enzymes and reduced pathogen colonization.

Practical Applications and Future Directions

The potential of mycorrhizal fungi as a sustainable and eco-friendly strategy for disease management in agriculture is substantial. Integrating mycorrhizal inoculants into agricultural practices can reduce the reliance on chemical pesticides and fertilizers, promoting a more sustainable and environmentally friendly approach to crop production.

However, the effectiveness of mycorrhizal fungi in enhancing disease resistance can vary depending on several factors, including the plant species, fungal species, environmental conditions, and pathogen pressure. Therefore, further research is needed to optimize the use of mycorrhizal fungi in different agricultural systems. This includes understanding the specific interactions between mycorrhizal fungi and various pathogens, as well as the factors influencing the effectiveness of mycorrhizal associations in different environments.

Future research should also explore the potential of combining mycorrhizal fungi with other biocontrol agents and agricultural practices to enhance disease management. The development of mycorrhizal inoculants that are specifically tailored to different crops and environmental conditions can further improve the effectiveness of mycorrhizal fungi in promoting plant health and disease resistance.

Conclusion

Mycorrhizal fungi play a crucial role in enhancing plant disease resistance through various mechanisms, including improved nutrition, induction of systemic resistance, physical barriers, competition with pathogens, and

modulation of the rhizosphere microbial community. Numerous studies have demonstrated the effectiveness of mycorrhizal associations in reducing the severity of various plant diseases. The integration of mycorrhizal fungi into agricultural practices offers a sustainable and eco-friendly strategy for disease management. However, further research is needed to optimize the use of mycorrhizal fungi in different agricultural systems and to develop tailored mycorrhizal inoculants for specific crops and environments.

References

1. Pozo MJ, Cordier C, Dumas-Gaudot E, Gianinazzi S, Barea JM, Azcón-Aguilar C. Localized versus systemic effect of arbuscular mycorrhizal fungi on defense responses to *Phytophthora* infection in tomato plants. *J Exp Bot.* 2002;53(368):525-534.
2. Veresoglou SD, Rillig MC. Suppression of fungal and nematode plant pathogens through arbuscular mycorrhizal fungi. *Biol Lett.* 2012;8(2):214-217.
3. Liu Y, Shi G, Mao L, Cheng G, Jiang S, Ma X, An L, Du G, Collins Johnson N, Feng H. Direct and indirect influences of 8 yr of nitrogen and phosphorus fertilization on Glomeromycota in an alpine meadow ecosystem. *New Phytol.* 2007;176(1):120-130.
4. Khaosaad T, Garcia-Garrido JM, Steinkellner S, Vierheilig H. Take-all disease is systemically reduced in roots of mycorrhizal barley plants. *Soil Biol Biochem.* 2007;39(3):727-734.
5. Gianinazzi S, Gollotte A, Binet MN, van Tuinen D, Redecker D, Wipf D. Agroecology: The key role of arbuscular mycorrhizas in ecosystem services. *Mycorrhiza.* 2010;20(8):519-530.
6. Harrier LA, Watson CA. The potential role of arbuscular mycorrhizal (AM) fungi in the bioprotection of plants against soil-borne pathogens in organic and/or other sustainable farming systems. *Pest Manag Sci.* 2004;60(2):149-157.
7. Smith SE, Read DJ. *Mycorrhizal Symbiosis.* Academic Press; 2008.
8. Azcón-Aguilar C, Barea JM. Applying mycorrhiza biotechnology to horticulture: significance and potentials. *Sci Hortic.* 1997;68(1-4):1-24.
9. Cameron DD, Neal AL, van Wees SCM, Ton J. Mycorrhiza-induced resistance: more than the sum of its parts? *Trends Plant Sci.* 2013;18(10):539-545.
10. Parniske M. Arbuscular mycorrhiza: the mother of plant root endosymbioses. *Nat Rev Microbiol.* 2008;6(10):763-775.
11. Jung SC, Martinez-Medina A, Lopez-Raez JA, Pozo MJ. Mycorrhiza-induced resistance and priming of plant defenses. *J Chem Ecol.* 2012;38(6):651-664.
12. Wehner J, Antunes PM, Powell JR, Mazukatow J, Rillig MC. Plant pathogen protection by arbuscular mycorrhizas: A role for fungal diversity? *Pedobiologia.* 2010;53(3):197-201.
13. Whipps JM. Prospects and limitations for mycorrhizas in biocontrol of root pathogens. *Can J Bot.* 2004;82(8):1198-1227.